

# High manoeuvrability and flexibility

- Maintain your parks and other outdoor areas all year round





Technical specifications	В	asic machine
Length	mm	2225
Width	mm	1015
Height with cabin / without cabin	mm	1935 / 1210
Weight with cabin / without cabin	kg	610 / 485
Payload	kg	690 / 815
Gross vehicle weight (GWA)	kg	1300
Turning radius (kerb to kerb)	mm	1500
Turning radius (inside)	mm	550
Engine: Perkins diesel 403D-11	hp/kW	28 / 21
4 wheel drive		std.



## Optimize your park maintenance

### - with one machine and 15 dedicated functions

The Park Ranger 2150 is the most attractive choice within compact machine class. With tailor-made quality attachments, fully aligned with the machine, you have 15 dedicated machines in one.

With compact dimensions and great manoeuvrability you have easy access to narrow areas and places and versatile handling of all Green and White assignments as well as the Black suction/sweeper jobs.

The powerful 28 HP engine and 4 wheel drive ensures you always have the needed power and traction needed for your tasks.

### Top performance in every aspect

Egholm makes no compromises in quality. All attachments are carefully designed to supply the optimum performance in its specific area. High quality materials and functional couplings, ensures professional results and durable performance.

All attachments can be changed by one person in less than 4 minutes - no tools needed to shift, and no heavy lifting involved!

You can, therefore, easily use the machine for different tasks during the day without wasting time on attachment changes in the workshop. And we all know: time is money.

Easy handling is key both for operation efficiency and for safety.

### Spring, summer and autumn assignments

Suction sweeper

Leaf suction unit

Environmental rake

Tipper trailer Load carrier

Tipping shovel

### **Summer assignments**

Rotary, mulch or collection mower 1000

Rotary or mulch mower 1200

Grass collector

Flail mower / verticutter

Lawn edger

### Winter assignments

Snow sweeper

Snow plough

Snow V-blade

Salt and sand spreader







## Increase your workday efficiency

## - With a multifunction, yet dedicated machine

### High efficiency and safety

The unique Quick-shift function on the Park Ranger 2150 will increase your efficiency as attachment / function change can be done in less than four minutes. Tools are not needed and it only takes very little training. Simply pick up the front attachment with the a-frame, lock it in place with the handle and attach the hydraulic hoses and you are ready to continue your work. The rear attachments are equally easy to change. There is no heavy lifting involved and you are quickly ready to continue your day performing a new task.

The Quick-shift is not only efficient but also safe for both operator and machine. The fact that it is a one man job means there is no risk of a colleague getting hurt in the process, because he/she is walking in front or behind the machine. Furthermore, the simple attachment of all systems eliminates the risk of damaging the machine due to wrong connections.



#### Save money

Only having to invest in one machine for performing many different outdoor maintenance tasks has many benefits:

- · Low initial investment
- More yearly working hours quick return on investment
- · Less training for operating different machines
- · Less space needed for storage facilities

### Tailor-made for optimised performance

The different attachments are tailor-made and developed specifically for the Park Ranger 2150. This gives you the best match and hence the best performance. With the different attachments available, you can maintain your outdoor areas all year round with your Park Ranger 2150.













### Sweep in narrow places

Sweeping narrow footpaths, bicycle paths or other areas with space constraints is no problem for the Park Ranger 2150. The compact dimensions of the utility machine and its manoeuvrability ensures it will get into even the most narrow spaces.



### Sweep under and around obstacles

With the optional 3<sup>rd</sup> brush it can additionally sweep under elements like benches, and clean very efficiently around other obstacles. And with the compact dimensions and low turning radius, you can use the machine in areas with space constraints.

# No assignment is too small

- when the slim Ranger sweeps by

### Complete sweeper and suction unit

The Park Ranger 2150 can be fitted with a complete Suction sweeper unit offering professional sweeping performance. It is highly manoeuvrable - also in narrow areas and ideal for sweeping in underground facilities due to the low overall height.

Equipped with the Suction sweeper unit the Park Ranger 2150 is an effective choice for sweeping footpaths, pavements, car parks, stairwells etc.

### **Dedicated to efficiency**

The Suction sweeper delivers high suction power ensuring fast and efficient cleaning results. The sweeper unit features a fibreglass high tip hopper and a rotation-cast water tank. The driver can empty the hopper without leaving the cabin.

The dust is fully under control with the Suction sweeper. Two spray jets fitted on the front brushes dampen the sweeping area and thereby bind the dust. The hopper features an innovative filter system binding even the smallest dust particles inside the tank.

The Park Ranger 2150 is certified with a 4 star rating according to the new EUnited certification for PM10 and PM2.5.





#### Wander hose

The remote vacuum hose makes it possible to clean where the machine cannot go - e.g. basements and stairs. This ensures an optimum working result - low cost and time saving operation - shortening your return on investment with the Park Ranger 2150.

## Top performance and maintenance

## - Well maintained and inviting green areas adds value

Well groomed parks and green areas look good and are an attractive asset for visitors and residences. So whether you are a municipality, contractor or park owner with the responsibility for maintaining green areas the strong Park Ranger 2150 is ready to solve all your versatile green assignments.

Mow the lawn and cut the edges with our professional attachments and make your park and green areas look good and attractive to enter for the public or customers.

### Dedicated attachments improve your performance

With dedicated attachments developed focusing on optimal performance and balance between machine and attachment you get the best result. Combining this with the unique four minute Quick-shift function, you can change the function of your Park Ranger 2150 with out loosing valuable working time.

All our attachments allow you to get the job done rapidly with a perfect result.

The green attachment programme offers highly diversified operation, at a low investment.

- · Rotary, mulch and collection mowers
- Grass collector
- Lawn edger
- Flail mower / verticutter
- · Leaf suction unit
- Environmental rake
- Tipping shovel
- Tipper trailer
- Load carrier with tip function



Easy transport of items

The Park Ranger 2150 has two different options for transporting items. The tipper trailer and the load carrier with tip function. They are both designed to make light work of transporting bulk loads such as park and garden refuse.



Fight weeds with the environmental rake
Keeping the gravel roads weed free without
using pesticides demands frequent efforts.
The environmental rake is a most useful partner for this purpose. Raking width of 110 cm.



Clean and safe paths and lawn

The leaf suction unit efficiently cleans up after defoliation and hedge trimming. It has a working suction width of 1,05 m, and with the leaf collection hose it is able to reach even less accessible areas like behind park benches and around hedges.



### Rotary, mulch or collection mower - it's your choice

The rotary mowers 1000 or 1200 are made to maintain the good looks of narrow grass paths. They are quick, sturdy and efficient when cutting and re-cutting the grass and blowing the fine clippings down into the lawn as compost (mulch kit is optional). Due to its articulated build, the mowers are extremely manoeuvrable and able to get around almost anywhere. The 1000 mower also offers an optional collection kit.



### Time-saving work process

Mowing the grass and collecting it in one working procedure saves a lot of time. The emptying of the hopper is managed directly from the cabin and the high tipping level (1.8 m) makes it possible to empty the hopper directly into a container.



### A perfect finish to the lawn

The hydraulic lawn edger effectively maintains lawn edges, whatever their shape or for form. Corners and bends are cut perfectly. The grass edge is first cut and then cultivated two jobs done at once.



### Long grass and moss has no chance

The flail mower mows all grass, whatever its height or toughness. Changing the flails with vertical blades converts it into a verticutter, which deals with moss and weeds without the need for pesticides. A diversified and efficient attachment.





### Snow plough

The snow plough handles up to 350 mm of heavy snow. The clearing width is between 1130 and 1300 mm all depending on the inclination of the blade. Maximum inclination is 30° and it is adjusted from the comfort of the cabin



### Snow sweeper

The snow sweeper is perfect when used with the first snow fall of winter. It will completely remove snow to a depth of 150 mm - even when the terrain is uneven. The angle, rotation speed and rotation direction can be adjusted from the cabin for the best possible result.



### Salt and sand spreader

The salt and sand spreader is funnel-shaped - so the salt, sand or gravel is pressed down under its own weight. Even wet material flows freely. The clearing width can be increased, up to five metres if needed - highly effective when treating frozen parking areas.

# Go through winter safely

## - let the Park Ranger 2150 help you with winter tasks

### Enter wintertime - with ease of mind

When winter brings snow and icy surfaces - your Park Ranger can handle all the challenges.

The compact dimensions of the Park Ranger 2150 allows you to clear areas often left for manual labour. It operates on streets, paths, pavements, parking areas, etc. with ease. From the comfortable cabin seat, the operator has excellent visibility, and can handle all the challenges of the winter season efficiently.

### Dedicated quality attachments for severe conditions

The demands caused by severe weather conditions are reflected in the quality of Egholm attachments for winter operations. All attachments are designed to supply efficient and dedicated performance.

The attachment programme for winter assignments covers:

- · Snow plough
- · Snow V-blade
- · Snow sweeper
- · Salt and sand spreader

### Two tasks in one process

The front attachments can work in tandem with the salt and sand spreader allowing you to do two jobs done at once. Twice as effective.



### Keep a firm grip in slippery conditions

If you loose grip on one wheel the 4WD ensures that power is automatically transferred to the opposite wheel on the same side of the machine meaning, that if you loose grip on the rear right wheel the power will be transferred to the front right wheel and vice versa.



# The Egholm promise

At Egholm, we always begin by listening to our customers. When we have taken all their needs, wants and concerns on board, we go on to design and produce utility machines that combine innovation, quality and performance to get you real-life results.

Use an Egholm Ranger as your platform for outdoor operations and you will gain access to dedicated attachments that optimise your productivity, costs, and results. Whether it's suction sweeping, street washing, weed control, green care or snow removal - Egholm Rangers can do it all, making them a solid investment.

We design our products to be as reliable as they are powerful. And we continue this insistence on reliability in our extensive service and in our partnership with our customers. We want you to think of us as a true partner before, during and after you make your choice. And you can rest assured that when you put your trust in us, we honour and reward that trust.



Egholm A/S Transportvej 27 DK-7620 Lemvig, Denmark Tel.: +45 97 81 12 05 www.egholm.eu - info@egholm.dk